

4K30 Al AUTO FOCUS 80°FOV Privacy Protection

For desktop video conferencing and live streaming

Meet+ 100 is a high-quality 4K auto focus webcam. Only one USB (Type-C) cable is used to enable power, control and video. Thanks to being equipped with advanced image processing solution and sensor, it presents realistic color, sharp and smooth image.

Meet+ 100 is developed with Telycam's own-developing focusing algorithm, to make the focus unrivalled fast and accurate. Built-in top-rated quality microphone, it can pick up the voice crystal clearly.

Meet+ 100 is the ideal for desktop video conferencing and live streaming.

Application



Key features

◆ 4K sharp image and AI Auto Focus

Adopt the most advanced 4K image processing solution, Sony 1/2.8" 12MP UHD CMOS sensor, and high-quality 80° diagonal view angle optical glass lens to output 4K30 UHD and 1080p60 FHD image. Support Al Auto Focus technology to enable focus at very short distance fast and accurate.

* 3X Digital Zoom

Thanks to its true 4K lens, this zoom camera support max 3X digital zoom with crystal video quality. (2x at 1080P and 3x at 720P)

Portrait Video Display

Multiple video resolutions are supported, both inlandscape and portrait mode, can meet yourflexible application.

→ Flexible USBA&C Connection

Plug and Play, easy to use, the webcam box package include both 1.5meter USB type A cable and Type C. connector.

Black Light Compensation

This webcam also support black light compensation, to output always bright and clear image even under low light background

Security and Privacy Protection

Silicon lens cover help to prevent online hackers fromspying on you, and keep the lens clean when thecamera not in use.

Specification

Comment	March 400
Camera	Meet+ 100
Part Number	TLC-100-U2-4K
Sensor	1/2.8 inch,12MP UHD CMOS sensor
Lens	lris: F1.8;
	View Angle: 80°(Diagonal), 65°(Horizontal)
	Object Distance: 10cm~infinity
Zoom	1080P supports 2X digital zoom, 720P supports 3X digital zoom
EPTZ	Support
Output Interface	USB(Type-c)
Video Format USB(Type-c)	YUY2: 1280*720@10; 1024*576@20; 640*480@30
	MJPG:
	Landscape video:
	3840*2160@30; 2560*1440@30; 1920*1080@30;1280*720@30;
	1024*576@30; 640*480@30;
	Portrait video:
	1080*1920@30;720*1280@30;576*1024@30; 360*480@30
Eocus	Al Auto Focus
Image Parameters	
White Balance	Auto/Manual
Exposure	Auto/Manual
Flicker	50HZ/60HZ/OFF
2D、3D Noise Reduction	Support
WDR	Support
Backlight Compensation	Support
Mirror, Flip	Support
Microphone Pointing	Omnidirectional microphone
Sensitivity	-26±2dB RL=2.2KΩ Vs=2.0V
S/N Ratio	64dB



General	
Polar Distance	3~5m
Input Voltage	USB power supply
Working Environment	Temperature: -10°C~50°C; Humidity: ≤80%
Webcam Size	76mm×ф48mm
Package Size	114.5mmx87mmx85mm
Net Weight	0.13kg
Gross Weight	0.3kg
Available Color	Dark gray, Silver
Accessories	1.5m USB2.0(A-C) cable, Manual, Warranty card







Telecam Technology Co.,Ltd

Phone number: +86 755 33275155 E-mail: sales@telycam.com

Add: 6 Floor, Building A, Shuanghuan Information Technology Industrial Park, No.8, Baoqing Rd, Longgang District, Shenzhen, 518116, China